



# SAFETY DATA SHEET

Issue Date 19-Sept-2017

Revision Date 19-July-2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Polyurethane/Acrylic Wet-Look Sealer  
**PRODUCT CODE:** CW428

### MANUFACTURER

CLASSIC COATINGS SYSTEMS  
255 CITATION CIR.  
CORONA, CA 92880

**O:** (951) 279-2600

### 24 HR. EMERGENCY TELEPHONE NUMBER

Emergency Response Service: (800) 535-5053

## 2. HAZARDS IDENTIFICATION

### CLASSIFICATION

<b>GHS Classification:</b>	<b>Not classified</b>
Pictogram:	Not applicable
Signal Word:	No signal word
Hazard Statement:	No known significant or critical hazards
Prevention:	Not applicable
Response:	Not applicable
Storage:	Not applicable
Disposal:	Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
DIPROPYLENE GLYCOL BUTYL ETHER	0.11	29911-28-2
Ethylene Glycol Monobutyl Ether	0.23	111-76-2
Acrylic Blend	N/A	100-51-67

\* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

#### 4. FIRST AID MEASURES

**EYES :** Flush with water for 15 minutes. See a physician.

**SKIN :** Wash skin with soap and water. See a physician if irritation persists.

**INGESTION :** INGESTION: IF VICTIM IS CONSCIOUS GIVE TWO GLASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN (911) IMMEDIATELY.

**INHALATION :** INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP PERSON WARM, QUIET AND GET MEDICAL ATTENTION.

#### 5. FIRE FIGHTING MEASURES

**FLASH POINT AND METHOD :** 150.00 TCC

**FLAMMABLE LIMITS :** 1.1 TO 10.6

**AUTOIGNITION TEMPERATURE :** This product will not autoignite.

**FLAMMABLE CLASS :** Not flammable.

**GENERAL HAZARD :** MATERIAL WILL NOT SUPPORT COMBUSTION IN THE WET STATE.

**EXTINGUISHING MEDIA :** Use foam, carbon dioxide or chemical fire fighting apparatus.

**FIRE FIGHTING PROCEDURES :** The use of self-contained breathing apparatus is recommended for fire fighters. Water spray may be used for cooling containers to prevent possible pressure build-up and autoignition or explosion when exposed to extreme heat. Avoid spreading burning liquid when using water for cooling containers.

**FIRE EXPLOSION :** CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME DUE TO PRESSURE BUILDUP. COOL CONTAINERS WITH WATER SPRAY.

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL :** DIKE AND CONTAIN SPILLED MATERIAL. ELIMINATE IGNITION SOURCES SUCH AS FLAMES , PILOT LIGHTS, SPARKS AND FLARES. SCOOP UP MATERIAL AND PUT INTO SUITABLE CONTAINER.

**LARGE SPILL :** OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL :** OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

**LAND SPILL :** OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES :** AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.  
KEEP CONTAINERS CLOSED WHEN NOT IN USE.  
FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.  
WASH HANDS BEFORE EATING.

## 8. EXPOSURE CONTROLS\PERSONAL PROTECTION

### OSHA TABLE COMMENTS:

NL = Not Listed

### EXPOSURE LIMITS

Components	CAS	Limits
DIPROPYLENE GLYCOL BUTYL ETHER	29911-28-2	
Ethylene Glycol Monobutyl Ether	111-76-2	PEL: 25 PPM - SKIN TLV: 25 PPM - SKIN

**ENGINEERING CONTROLS:** LOCAL EXHAUST RECOMMENDED.  
MECHANICAL EXHAUST RECOMMENDED.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** SAFETY GLASSES OR CHEMICAL SPLASH GOGGLES RECOMMENDED.

**SKIN:** IMPERMEABLE RUBBER GLOVES RECOMMENDED.

**RESPIRATORY:** USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR WHEN PERMISSIBLE EXPOSURE LIMIT IS EXCEEDED.

**WORK HYGIENIC PRACTICES:** AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.  
KEEP CONTAINERS CLOSED WHEN NOT IN USE.  
FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.  
WASH HANDS BEFORE EATING.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE :** Liquid  
**ODOR :** Low odor  
**COLOR :** milky  
**pH :** 8.0-9.0

**COATING VOC:** 75.000  
**MATERIAL VOC:** 24.067

## 10. STABILITY AND REACTIVITY

**STABLE :** MATERIAL IS STABLE.

**HAZARDOUS POLYMERIZATION :** Product will not undergo polymerization.

**CONDITIONS TO AVOID :** High temperatures, open flames or sparks.

**HAZARDOUS DECOMPOSITION PRODUCTS:** THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE,ACRID SMOKE OR METAL FUMES WHEN HEATED TO DECOMPOSITION.

**INCOMPATIBLE MATERIALS :** AVOID MIXING WITH STRONG OXIDIZERS OR REDUCING AGENTS.

## 11. TOXICOLOGICAL INFORMATION

**GENERAL COMMENTS:** None identified.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** No data available,

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

**EMPTY CONTAINER:** OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

**RCRA/EPA WASTE INFORMATION:** Obey all local, state and federal regulations.

## 14. TRANSPORT INFORMATION

### **DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME :** Not regulated

**TECHNICAL NAME :** Paint related material

## 15. REGULATORY INFORMATION

### **UNITED STATES**

#### **SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

##### **311/312 HAZARD CATEGORIES:**

**FIRE :** -                   **PRESSURE GENERATING :** -

**REACTIVITY :** -   **ACUTE :** -   **CHRONIC :** -

**313 REPORTABLE INGREDIENTS:** -


### **302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** This product does not contain any extremely hazardous substances.

## 16. OTHER INFORMATION

HMIS RATING	
Health :	1
Flammability:	0
Reactivity:	0
Personal Protection:	B

### NFPA CODES



**MANUFACTURER DISCLAIMER :** THE INFORMATION OR RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON INFORMATION OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE AND ARE PROPRIETARY AND ARE FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS. SINCE IT IS IMPOSSIBLE FOR US TO DETERMINE THE PRECISE CONDITIONS UNDER WHICH OUR PRODUCTS WILL BE USED, NEITHER CLASSIC COATINGS SYSTEMS NOR ITS AFFILIATES CAN ACCEPT RESPONSIBILITY FOR LOSS, INJURY OR OTHER DAMAGES RESULTING FROM THE USE OF THE PRODUCT OR THIS OR ANY OTHER INFORMATION PROVIDED BY US. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY, SUITABILITY, AND RELEVANCE OF FEDERAL AND LOCAL LAW TO THE PRODUCT AS IT IS TO BE USED BY THEM. THEREFORE NO GUARANTEE OF ANY KIND EXPRESSED OR IMPLIED, INCLUDING THOSE OF FITNESS OR MERCHANTABILITY, ARE MADE BY CLASSIC COATINGS SYSTEMS OR ITS AFFILIATES WITH REGARD TO ANY OF THEIR PRODUCTS.

END OF SDS