



SAFETY DATA SHEET

Issue Date: December 11th, 2017

Revision Date: March 13th, 2017

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: *Waterbased Stain* - Navajo, Rustic, Mission Brown, Walnut, Café, Palomino, Cappuccino, Rosewood, Sunflower, Chestnut, Desert Tan, Latte, Red Brick, Espresso Black Mesa Buff, Terracotta, Rosemary, Brown Bag, Charcoal Gray, Adobe Tan Travertine, Oyster Gray, Deep Blue, Sandstone, Forest Green, French Vanilla New Concrete, Arizona Buff, Metal Gray

PRODUCT CODE: WB

Manufacturer Address

CLASSIC COATINGS SYSTEMS
255 CITATION CIR.
CORONA, CA 92880
(714) 720-6954

Company: Hazmat Service

24 Hour Emergency Phone Number: 800-373-7542

*Waterbase Stain is non-hazmat

2. HAZARDS IDENTIFICATION

CLASSIFICATION

GHS Classification **Not classified**

Pictogram: Not applicable

Signal Word: Not applicable

Hazard Statement: No known significant effects or critical hazards

Prevention: Not applicable

Storage: Not applicable

Disposal: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

4. FIRST AID MEASURES

EYES : Flush with water for 15 minutes. See a physician.

SKIN : Wash skin with soap and water. See a physician if irritation persists.

INGESTION : INGESTION: IF VICTIM IS CONSCIOUS GIVE TWO GLASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN (911) IMMEDIATELY.

INHALATION : INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP PERSON WARM, QUIET AND GET MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD : Not applicable

FLAMMABLE LIMITS : None

AUTOIGNITION TEMPERATURE : This product will not autoignite.

FLAMMABLE CLASS : Not flammable.

GENERAL HAZARD : MATERIAL WILL NOT SUPPORT COMBUSTION IN THE WET STATE.

EXTINGUISHING MEDIA : Use foam, carbon dioxide or chemical fire fighting apparatus.

FIRE FIGHTING PROCEDURES : The use of self-contained breathing apparatus is recommended for fire fighters. Water spray may be used for cooling containers to prevent possible pressure build-up and autoignition or explosion when exposed to extreme heat. Avoid spreading burning liquid when using water for cooling containers.

FIRE EXPLOSION : CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME DUE TO PRESSURE BUILDUP. COOL CONTAINERS WITH WATER SPRAY.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL : DIKE AND CONTAIN SPILLED MATERIAL. ELIMINATE IGNITION SOURCES SUCH AS FLAMES , PILOT LIGHTS, SPARKS AND FLARES. SCOOP UP MATERIAL AND PUT INTO SUITABLE CONTAINER.

LARGE SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

LAND SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

7. HANDLING AND STORAGE

GENERAL PROCEDURES : AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.
KEEP CONTAINERS CLOSED WHEN NOT IN USE.
FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.
WASH HANDS BEFORE EATING.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

OSHA TABLE COMMENTS:

NL = Not Listed

EXPOSURE LIMITS

ENGINEERING CONTROLS: LOCAL EXHAUST RECOMMENDED.
MECHANICAL EXHAUST RECOMMENDED.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: SAFETY GLASSES OR CHEMICAL SPLASH GOGGLES RECOMMENDED.

SKIN: IMPERMEABLE RUBBER GLOVES RECOMMENDED.

RESPIRATORY: USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR WHEN PERMISSIBLE EXPOSURE LIMIT IS EXCEEDED.

WORK HYGIENIC PRACTICES: AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.
KEEP CONTAINERS CLOSED WHEN NOT IN USE.
FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.
WASH HANDS BEFORE EATING.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : Liquid

ODOR : Low odor

COLOR : colored

pH : 8.0-9.1

COATING VOC: 0.0000 7-04-15

MATERIAL VOC: 0.0000

10. STABILITY AND REACTIVITY

STABLE : MATERIAL IS STABLE.

HAZARDOUS POLYMERIZATION : Product will not undergo polymerization.

CONDITIONS TO AVOID : High temperatures, open flames or sparks.

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE,ACRID SMOKE OR METAL FUMES WHEN HEATED TO DECOMPOSITION.

INCOMPATIBLE MATERIALS : AVOID MIXING WITH STRONG OXIDIZERS OR REDUCING AGENTS.

11. TOXICOLOGICAL INFORMATION

GENERAL COMMENTS: None identified.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data available,

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

EMPTY CONTAINER: OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

RCRA/EPA WASTE INFORMATION: Obey all local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME : Not regulated

TECHNICAL NAME : Paint related material

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE : - PRESSURE GENERATING : -

REACTIVITY : - ACUTE : - CHRONIC : -

313 REPORTABLE INGREDIENTS: -


302/304 EMERGENCY PLANNING

EMERGENCY PLAN: This product does not contain any extremely hazardous substances.

16. OTHER INFORMATION

HMIS RATING	
Health:	1
Flammability:	0
Reactivity:	0
Personal Protection:	HMISP

NFPA CODES



MANUFACTURER DISCLAIMER : THE INFORMATION OR RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON INFORMATION OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE AND ARE PROPRIETARY AND ARE FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS. SINCE IT IS IMPOSSIBLE FOR US TO DETERMINE THE PRECISE CONDITIONS UNDER WHICH OUR PRODUCTS WILL BE USED, NEITHER CLASSIC COATINGS SYSTEMS NOR ITS AFFILIATES CAN ACCEPT RESPONSIBILITY FOR LOSS, INJURY OR OTHER DAMAGES RESULTING FROM THE USE OF THE PRODUCT OR THIS OR ANY OTHER INFORMATION PROVIDED BY US. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY, SUITABILITY, AND RELEVANCE OF FEDERAL AND LOCAL LAW TO THE PRODUCT AS IT IS TO BE USED BY THEM. THEREFORE NO GUARANTEE OF ANY KIND EXPRESSED OR IMPLIED, INCLUDING THOSE OF FITNESS OR MERCHANTABILITY, ARE MADE BY CLASSIC COATINGS SYSTEMS OR ITS AFFILIATES WITH REGARD TO ANY OF THEIR PRODUCTS

END OF SAFETY DATA SHEET.